



## SLA3225

### 32"W Digital Signage LCD, Sunlight Readable 1000 nits.

32" Widescreen Digital Signage LCD, built-in 1000 nits high bright for sunlight readable. High transmittance color filter is designed to deliver graphics, text, video and advertisement in high resolution. It is an high brightness eye-catching display and perfect for retail, hospitality, airports, bus terminals, educational settings, restaurants, conference rooms, stock exchanges, and public spaces.

#### Key Features

- Sunlight Readable
- 1000 nits High Brightness
- High Resolution HD
- Medial Player Build In
- 5W x2 Stereo Speakers
- 8G CF Card



### Specifications

V1

<b>Model Number</b>	<b>SLA3225</b>
<b>Description</b>	32"W Digital Signage LCD, Sunlight Readable 1000 nits.
<b>Audio Output</b>	5 Watts x 2 Speakers
<b>Network</b>	10/ 100 Mbps Ethernet
<b>Network Protocol</b>	HTTP Authentication
<b>Video Type</b>	HD 1080i
<b>Multi-Zone Support</b>	Yes
<b>LCD Display</b>	
<b>Size</b>	32" Wide Screen
<b>Brightness</b>	1000 cd/m <sup>2</sup>
<b>Resolution</b>	1366 x 768 (WXGA)
<b>Number of Colors</b>	16.7M colors
<b>Contrast Ratio</b>	2100:1
<b>Response Time</b>	6.5ms
<b>Sync</b>	LVDS
<b>Viewing Angle</b>	178°(H), 178°(V)
<b>System</b>	
<b>Storage</b>	Compact Flash™ Type I/II or HDD
<b>Voltage</b>	AC Input: AC 100 ~ 240V
<b>Power Consumption</b>	140 Watts
<b>Dimension</b>	731.6x426.4x91 mm
<b>Net Weight</b>	21.81kg
<b>Optional</b>	<input type="checkbox"/> AOT <input type="checkbox"/> Touchscreen <input type="checkbox"/> Waterproof
<b>Supported File Format</b>	
<b>Video</b>	MPEG-1/2, MPEG-4, WMV9
<b>Audio</b>	WMA9 basic profile
<b>Graphics</b>	JPEG, PNG
<b>Text Banner</b>	Variable scrolling speed and position
<b>Playlist</b>	Scheduling playback, Endless loop playback
<b>Environmental</b>	
<b>Operating Temperature</b>	-10°C ~ 50°C
<b>Storage Temperature</b>	-20°C ~ 70°C
<b>Certification</b>	CE/FCC

Specifications are subject to change without notice.

**JAYCO**mmi

[www.ultra-displays.com](http://www.ultra-displays.com)

*Clarity You Can Depend On*

For immediate service call 1 (951) 738-2000



All in One  
Digital Signage  
Solutions




All brands or product names are trademarks or registered trademarks of their respective companies.

## Mechanical Drawing

### Outline Dimensions

Unit:mm





All in One  
Digital Signage  
Solutions



### Ordering Information

Part Number	Description
SLA3225-HNHD-C01	32", 1000nits, WXGA. Media player-HMAAD5766GDVA.LIPS, O/B, CF card, V01

### Optional Accessories

Part Number	Description
810618301010	CABLE.POWER.AC.1830mm USA type
810618301090	CABLE,POWER,AC,1830mm Europe type
810618301050	CABLE.POWER.AC.1830mm UK type
810618301170	CABLE.POWER,AC,1830mm Australia type
810618301030	CABLE.POWER.AC.1830mm Japan type